



LED PRO

When lighting really matters

LED TRACK LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in retail and hospitality.
- Support retailers to let their products stand out or highlight certain objects.
- ILLUS LED TRACK Luminaire gives the customer the flexibility to choose between 16 models based on their specific need with lumen package from 460 lm to 2550 lm.

BENEFITS

- Reduced operating costs and longer lifetime.
- Unobtrusive design in white or black finish.
- Clean, simple finish to many interior designs.

FEATURES

- High CRI>95.
- Efficacy up to 100 lm/w.
- Long life span 30,000 hrs.
- Operating voltage 220 – 240 V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

| | |
|--------------------------------|----------------------------|
| IP rating | IP20 |
| CRI | 95 |
| Lumen | from 460 to 2550lm/M+/-10% |
| Voltage | AC220-240V |
| Frequency | 50/60Hz |
| Beam Angle | 24° |
| Body Material | -20~25°C |
| Ambient Temperature | Aluminum+Plastic |
| Dimmable or Not | Non |
| Directional or Non Directional | Directional |
| Fixed or Adjustable | Adjustable |
| Life Span | 30000h |

SPECIFICATIONS




| Code No. | Model No. | Power | Lumen | Efficacy | CCT | Body Color | Light Color Designation | Dimensions |
|----------|----------------|-------|-------|----------|-------|-------------|-------------------------|------------|
| 671237 | ILS06TL930WW01 | 6.5W | 460 | 80 | 3000K | white+black | warm white | Ø68x66mm |
| 671238 | ILS06TL930WW02 | 6.5W | 460 | 80 | 3000K | black | warm white | Ø68x66mm |
| 671239 | ILS06TL940NW01 | 6.5W | 470 | 80.9 | 4000K | white+black | natural white | Ø68x66mm |
| 671240 | ILS06TL940NW02 | 6.5W | 470 | 80.9 | 4000K | black | natural white | Ø68x66mm |
| 671243 | ILS12TL930WW01 | 13W | 900 | 90 | 3000K | white+black | warm white | Ø90x72mm |
| 671244 | ILS12TL930WW02 | 13W | 900 | 90 | 3000K | black | warm white | Ø90x72mm |
| 671245 | ILS12TL940NW01 | 13W | 920 | 93 | 4000K | white+black | natural white | Ø90x72mm |
| 671246 | ILS12TL940NW02 | 13W | 920 | 93 | 4000K | black | natural white | Ø90x72mm |
| 671249 | ILS24TL930WW01 | 24W | 1680 | 94.7 | 3000K | white+black | warm white | Ø105x73mm |
| 671250 | ILS24TL930WW02 | 24W | 1680 | 94.7 | 3000K | black | warm white | Ø105x73mm |
| 671251 | ILS24TL940NW01 | 24W | 1720 | 96.3 | 4000K | white+black | natural white | Ø105x73mm |
| 671252 | ILS24TL940NW02 | 24W | 1720 | 96.3 | 4000K | black | natural white | Ø105x73mm |
| 671255 | ILS35TL930WW01 | 35W | 2500 | 96.3 | 3000K | white+black | warm white | Ø135x76mm |
| 671256 | ILS35TL930WW02 | 35W | 2500 | 96.3 | 3000K | black | warm white | Ø135x76mm |
| 671257 | ILS35TL940NW01 | 35W | 2550 | 100 | 4000K | white+black | natural white | Ø135x76mm |
| 671258 | ILS35TL940NW02 | 35W | 2550 | 100 | 4000K | black | natural white | Ø135x76mm |

DIMENSIONS



671237 - 671238 - 671239 - 671240

671243 - 671244 - 671245 - 671246





671249 - 671250 - 671251 - 671252

671255 - 671256 - 671257 - 671258

ACCESSORIES

| Code No. | Model No. | Body Color | Body Material | Beam Angle | Dimensions |
|----------|---------------|-------------|---------------|------------|--------------|
| 671261 | ILSTRKHC01 | black | aluminum | / | Ø32x2mm |
| 671262 | ILSTRK15LEN01 | transparent | pc | 15° | Ø28.5x15.8mm |
| 671263 | ILSTRK50LEN01 | transparent | pc | 50° | Ø28.5x15.8mm |

ACCESSORIES DIMENSIONS



671261 - Honeycomb Fitting for LED Track Light

671262 - 671263 - Lens for LED Track Light

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED TRACK LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.