



Great energy efficient LED Panel

LED FLAT LUMINAIRE SERIES

PRODUCT INFORMATION

- Highly efficient LED panel.
- Very competitive price.
- ILLUS LED FLAT Luminaire gives the customer the flexibility to choose between 6 CCT based on their specific need with lumen package from 3100 lm to 4400 lm.

BENEFITS

- Great quality and reliability.
- Long lifetime.
- Energy efficient.

FEATURES

- High CRI>92.
- Efficacy up to 110 lm/w.
- Long life span 50,000 hrs.
- Operating voltage 100 – 277 V.
- Non – dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center



Commercial



Work space



Educational center

TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-277V, 50/60Hz
Rated CRI	92
Color Temperature	3000K,4000K,5700K
Life Span	50.000h
Ingress Protection Rating	IP20,40
Dimming	Non-Dimmable

SPECIFICATIONS

Code No.	Model No.	Power	Body Color
612651	ILS60FLATL930WW01	40W	White
612652	ILS60FLATL940NW01	40W	White
612653	ILS60FLATL957DL01	40W	White
612654	ILS120FLATL930WW01	40W	White
612655	ILS120FLATL940NW01	40W	White
612656	ILS120FLATL957DL01	40W	White




DIMENSIONS

Code No.	Model No.	Height	Length	Width
612651	ILS60FLATL930WW01	31	595	595
612652	ILS60FLATL940NW01	31	595	595
612653	ILS60FLATL957DL01	31	595	595
612654	ILS120FLATL930WW01	31	1195	295
612655	ILS120FLATL940NW01	31	1195	295
612656	ILS120FLATL957DL01	31	1195	295

illus




illumination

595X595



612651, 612652, 612653

295X1195



612654, 612655, 612656

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLAT LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

08122021M1